




Trace

 IP67

 IK10

5
YEARS
WARRANTY



EN

- Outdoor on floor luminaire with high protection class.
- Easy applicable luminaires through the inground recessed boxes.
- Led colour temperatures optionally 2700K, 3000K, 3500K, 4000K, 5000K and 6500K.
- 316 grade Stainless steel frame.
- Can be mounted on ground, pavement and wall surfaces.
- Consists of main body and outer casing.
- All external screws are Stainless steel.
- Recessed mounted uplight led wallwasher. Connecting cable and safety plug for portable installation. The used Led technique offers durability and optimal light output with low power consumption.
- The main body of the luminaires are die-cast aluminium that absorbs the pressure loads. The luminaires can be driven over by vehicles.
- Trace family gives asymmetrical light output to floor, facades, columns and etc. without losing light to sky.

TR

- Yüksek koruma sınıflı dış mekan yer spotu.
- Zemin sıva altı kasaları sayesinde kolayca monte edilebilir.
- 2700, 3000K, 3500K, 4000K, 5000K ve 6500K renk sıcaklığı seçenekleri mevcuttur.
- 316 kalite paslanmaz çerçeve.
- Toprak zemin, beton zemin ve duvara monte edilebilir.
- Ana gövde ve dış montaj gövdesinden oluşmaktadır.
- Tüm dış vidalar paslanmazdır.
- Yere gömme led projektör armatür. Yenilikçi led tekniği sayesinde optimal ve tasarruflu ışık çıkışı. Enerji girişi ve kablo atlaması armatürü açmadan dışardan kolayca sağlanabilir.
- Ön çerçeve 316 kalite paslanmaz olup dış ortamın yüksek korozyon faktörlerine karşı dayanıklıdır.
- Trace ailesi asimetrik ışık çıkışı sağlayarak zemin, kolon, cephe vb. alanları havaya ışık kaçıışı olmadan sağlar.

Trace Maxi



5 / Product Color / Ürün Renk




Stainless = 07

Trace Maxi Mono / O07.UP.01701



Power / Güç	CRI	Order Code / Sipariş Kodu	Kelvin	Lümen T _c =50° Lümen
4W	CRI>80	O07.UP.01701 . (.) . (..) . (.) . (..)	2700K	27
			3000K	31
			3500K	36
			4000K	40
			5000K	47
			6500K	50



* Code example / Kod örneği:


O07.UP.01701 . 4 . 827 . 07

1 2 3 4

Trace Maxi Dual / O07.UP.01702



Power / Güç	CRI	Order Code / Sipariş Kodu	Kelvin	Lümen T _c =50° Lümen
4W	CRI>80	O07.UP.01702 . (.) . (..) . (.) . (..)	2700K	27
			3000K	31
			3500K	36
			4000K	40
			5000K	47
			6500K	50



* Code example / Kod örneği:

O07.UP.01702 . 4 . 827 . 07

1 2 3 4

Trace Maxi


Trace Maxi Triple / O07.UP.01703



* Code example / Kod örneği:

O07.UP.01703 . 4 . 827 . 07
 1 2 3 4

Power / Güç	CRI	Order Code / Sipariş Kodu	Kelvin	Lümen T _c =50° Lümen
4W	CRI>80	O07.UP.01703 . (..) . (...) . (..) . (..)	2700K	27
			3000K	31
			3500K	36
			4000K	40
			5000K	47
			6500K	50




Trace Maxi Quadriple / O07.UP.01704



* Code example / Kod örneği:

O07.UP.01704 . 4 . 827 . 07
 1 2 3 4


Power / Güç	CRI	Order Code / Sipariş Kodu	Kelvin	Lümen T _c =50° Lümen
4W	CRI>80	O07.UP.01704 . (..) . (...) . (..) . (..)	2700K	27
			3000K	31
			3500K	36
			4000K	40
			5000K	47
			6500K	50



- 1- Product code / Armatür kodu
- 2- Power / Güç
- 3- CRI / Kelvin
- 4- Colour / Ürün renk

Complete Code / Komple Kod	2	3	4
	Watt - Driving Current / Watt - Sürüş Akımı	CRI / Kelvin	Product Color / Ürün Renk
4	4W	827 CRI>80 - 2700K	07 stainless
		830 CRI>80 - 3000K	
		835 CRI>80 - 3500K	
		840 CRI>80 - 4000K	
		850 CRI>80 - 5000K	
		865 CRI>80 - 6500K	

Trace Mini




5 / Product Color / Ürün Renk





Stainless = 07

Trace Mini Mono / O07.UP.01711



Power / Güç	CRI	Order Code / Sipariş Kodu	Kelvin	Lümen T _c =50° Lümen
3W	CRI>80	O07.UP.01711 . (.) . (..) . (..) . (..)	2700K	14
			3000K	16
			3500K	19
			4000K	22
			5000K	26
			6500K	28




* Code example / Kod örneği:



O07.UP.01711 . 3 . 827 . 06

1 2 3 4

Trace Mini Dual / O07.UP.01712



Power / Güç	CRI	Order Code / Sipariş Kodu	Kelvin	Lümen T _c =50° Lümen
3W	CRI>80	O07.UP.01712 . (.) . (..) . (..) . (..)	2700K	14
			3000K	16
			3500K	19
			4000K	22
			5000K	26
			6500K	28



* Code example / Kod örneği:

O07.UP.01712 . 3 . 827 . 06

1 2 3 4

Trace Mini



Trace Mini Triple / O07.UP.01713



* Code example / Kod örneği:

O07.UP.01713 . 3 . 827 . 06
 1 2 3 4

Power / Güç	CRI	Order Code / Sipariş Kodu	Kelvin	Lümen T _c =50° Lümen
3W	CRI>80	O07.UP.01713 . (..) . (...) . (..) . (..)	2700K	14
			3000K	16
			3500K	19
			4000K	22
			5000K	26
			6500K	28





Trace Mini Quadriple / O07.UP.01714



* Code example / Kod örneği:

O07.UP.01714 . 3 . 827 . 06
 1 2 3 4

Power / Güç	CRI	Order Code / Sipariş Kodu	Kelvin	Lümen T _c =50° Lümen
3W	CRI>80	O07.UP.01714 . (..) . (...) . (..) . (..)	2700K	14
			3000K	16
			3500K	19
			4000K	22
			5000K	26
			6500K	28



- 1- Product code / Armatür kodu
- 2- Power / Güç
- 3- CRI / Kelvin
- 4- Colour / Ürün renk

Complete Code / Komple Kod	2	3	4
	Watt - Driving Current / Watt - Sürüş Akımı	CRI / Kelvin	Product Color / Ürün Renk
3	3W	827 CRI>80 - 2700K	07 stainless
		830 CRI>80 - 3000K	
		835 CRI>80 - 3500K	
		840 CRI>80 - 4000K	
		850 CRI>80 - 5000K	
		865 CRI>80 - 6500K	